# SAFETY DATA SHEET INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Manufacturer Da-Lee Pavement Products LP

350 Jones Road, Stoney Creek, ON Canada. L8E 5N2

#### 1.4. Emergency telephone number

Emergency telephone 905.643.1135

905.643.2299

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

LITVII OIIIII OII LAI TIAZAI GS

tot Glassifica

**Human health** See Section 11 for additional information on health hazards.

**Environmental** The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements NC Not Classified

# 2.3. Other hazards

This substance is not classified as PBT or vPvB according to current EU criteria.

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Classification according to EC

1272/2008 (CLP)

#### 3.2. Mixtures

SKIM COATED STONE	60-100%

CAS number: -

# Classification

Not Classified

# INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

PAVING GRADE BITUMEN 1-5%

CAS number: 8052-42-4 EC number: 232-490-9 REACH registration number: 01-

2119480172-44-0007

Classification
Not Classified

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information Remove affected person from source of contamination. Get medical attention if any discomfort

continues.

**Inhalation** Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Get medical attention if any discomfort continues.

Ingestion Rinse mouth thoroughly with water. If swallowed, seek medical advice immediately and show

this container or label.

Skin contact Remove contaminated clothing. Get medical attention if any discomfort continues.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

#### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media Foam. Powder.

Unsuitable extinguishing

Do not use water, if avoidable. Do not use water jet as an extinguisher, as this will spread the

fire. Carbon dioxide (CO2).

# 5.2. Special hazards arising from the substance or mixture

Specific hazards Protection against nuisance dust must be used when the airborne concentration exceeds 10

mg/m3. Thermal decomposition or combustion products may include the following

substances: Toxic gases or vapours.

Hazardous combustion

products

firefighting

media

Does not decompose when used and stored as recommended.

# 5.3. Advice for firefighters

Protective actions during

No specific firefighting precautions known.

Special protective equipment

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

for firefighters

clothing. Use protective equipment appropriate for surrounding materials.

# SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

# INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

**Methods for cleaning up**Collect spillage with a shovel and broom, or similar and reuse, if possible.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. Collect and dispose of spillage as indicated in Section

13. See Section 11 for additional information on health hazards.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

**Usage precautions**Avoid contact with skin and eyes. Avoid eating, drinking and smoking when using the product.

Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site.

#### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Store in a cool and well-ventilated place.

Storage class Unspecified storage.

7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

#### SECTION 8: Exposure controls/Personal protection

#### 8.1. Control parameters

## Occupational exposure limits

#### SKIM COATED STONE

Long-term exposure limit (8-hour TWA): WEL 5 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 10 mg/m<sup>3</sup>

## **PAVING GRADE BITUMEN**

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Short-term exposure limit (15-minute): WEL 10 mg/m³

#### Solvent Naphtha (Petroleum), Light Aromatic

Long-term exposure limit (8-hour TWA): 150

#### 1,2,4-TRIMETHYLBENZENE

Long-term exposure limit (8-hour TWA): 25 ppm 125 mg/m<sup>3</sup>

#### **XYLENE**

Long-term exposure limit (8-hour TWA): WEL 100 ppm(Sk) Short-term exposure limit (15-minute): WEL 150 ppm(Sk)

## **CUMENE**

Long-term exposure limit (8-hour TWA): WEL 25 ppm(Sk) 125 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 50 ppm(Sk) 250 mg/m3(Sk)

WEL = Workplace Exposure Limit

#### no uk exposure limits known

Ingredient comments No exposure limits known for ingredient(s).

# INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

WHITE SPIRIT (CAS: 64742-88-7)

Ingredient comments WEL = Workplace Exposure Limits

HYDROGENATED TALLOW AMINE

**Ingredient comments** WEL = Workplace Exposure Limits

8.2. Exposure controls

Appropriate engineering

Not relevant.

controls

**Eye/face protection** The following protection should be worn: Chemical splash goggles.

Hand protection Chemical-resistant, impervious gloves complying with an approved standard should be worn if

a risk assessment indicates skin contact is possible.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of skin contact.

Hygiene measures Wash at the end of each work shift and before eating, smoking and using the toilet. No

specific hygiene procedures recommended but good personal hygiene practices should

always be observed when working with chemical products.

**Respiratory protection** No specific recommendations.

#### SECTION 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties

Appearance Solid or liquid (may vary).

9.2. Other information

Other information Not available.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

**Stability** No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

Possibility of hazardous

Not applicable. No potentially hazardous reactions known.

reactions

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

# 10.6. Hazardous decomposition products

Hazardous decomposition O products O

Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapours.

#### SECTION 11: Toxicological information

# INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

#### 11.1. Information on toxicological effects

**Toxicological effects**No information available.

General information No specific health hazards known.

Inhalation No specific health hazards known.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Irritating to skin.

Eye contact Irritating to eyes.

Acute and chronic health

hazards

This product may cause skin and eye irritation.

#### SECTION 12: Ecological information

**Ecotoxicity** The product components are not classified as environmentally hazardous. However, large or

frequent spills may have hazardous effects on the environment.

12.1. Toxicity

**Toxicity** No information available

#### 12.2. Persistence and degradability

Persistence and degradability No information available There are no data on the degradability of this product.

#### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

12.4. Mobility in soil

**Mobility** The product is non-volatile.

## 12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

assessment

This substance is not classified as PBT or vPvB according to current EU criteria.

#### 12.6. Other adverse effects

Other adverse effects Not available.

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be

considered.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority.

#### SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

# 14.1. UN number

Not applicable.

# INSTARMAC INSTANT ROAD REPAIR (DA-LEE PAVEMENT PRODUCTS LP)

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

Not applicable.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No

# 14.6. Special precautions for user

Not applicable.

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

#### SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

Control of Substances Hazardous to Health Regulations 2002 (as amended).

**Guidance** Safety Data Sheets for Substances and Preparations.

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### SECTION 16: Other information

General information Only trained personnel should use this material.

Issued by HS&E Manager.

Revision date 14/01/2019

Revision 1

SDS number 20429

SDS status Approved.

0